




Drift™

*Contoured Blade
Baffles*





Drift™

Seamless Acoustics. Sculptural Calm.

Drift™ baffles feature a ruggedly sculpted, flowing profile that adds movement and visual interest to ceiling spaces. The contoured layers shift rhythmically across the span, enhancing both the acoustic environment and the architectural appeal. Designed for rustic interiors seeking subtle motion and calm, Drift™ creates a bold overhead presence without distraction.

Key Features

- Rugged blade geometry for visual flow
- Rigid transitions and rhythmic form across ceilings
- Excellent acoustic absorption performance (NRC up to 1.00)
- Constructed from recycled PET felt – durable and sustainable
- Customizable lengths, contours, and spacing
- Lightweight, easy-to-install with adjustable cable system
- Compatible with lighting, HVAC, and other ceiling systems
- ASTM E84 Class A fire rated



Designing Calm, One Curve at a Time

Drift™ offers visual interest and acoustic performance in a highly adaptable format. Each blade can be oriented, spaced, and layered to create subtle ceiling motion or bold wave-like arrays.

Key Design Parameters:


- Blade spacing and orientation
- Suspension height and wave direction
- Room dimensions and acoustical needs
- Desired visual impact and integration with ceiling systems

Work With Our Team:

We can help you fine-tune your layout based on your intent—whether it's minimal rhythm or a flowing peak effect.

What to Provide:

- Floor plans or ceiling grid layout
- Desired acoustic coverage or focal zones
- Finish and color preferences
- Integration with lighting, ductwork, or sprinklers




Mounting & Connections

Mounting Options

- Adjustable aircraft cable suspension system
- Ceiling-mounted brackets available upon request
- Suitable for open ceilings or integrated ceiling plenum installs
- Quick-connect system for alignment and leveling

Installation Notes:

- Pre-cut blades labeled by position
- Detailed install drawings
- Suspension kits with hardware
- Optional layout and CAD file support



Dimensions and Specifications

ATTRIBUTE	DETAIL
Dimensions	Custom lengths; typical: 48" L x 6–12" H x 1" D (1220mm x 150–305mm x 25mm)
Material	PET felt, 9mm or 12mm thickness
Finish Options	Approx. 1.1 lb per sq. ft.
Mounting	Aircraft cable suspension or bracketed
Weight	Up to 1.00 (based on spacing and layout)
NRC Rating	Up to 1.00 (layout dependent)
Fire Rating	ASTM E84 Class A
Sustainability	60%+ recycled content, recyclable



Use Cases

- Open-plan offices
- Design studios
- Cafés and hospitality spaces




Quiet lounges or reading zones



Reception Areas

Color That Drifts With Intention

Drift™ is available in ONNiT's full range of 32 PET felt colors. Use tone-on-tone combinations for soft, ambient flow—or contrast colors for sculptural boldness.



Need Something More Specific? Custom color matching and expanded palette options are available upon request.
Let Color Complete The Form - And Your Vision

Sustainability + Compliance

- Made from a minimum of 60% recycled PET
- Low VOC, formaldehyde-free
- Made with OEKO-TEX® certified materials
- Eligible for LEED MR and EQ credits
- Fully recyclable at end of life



A third-party certification that assesses products' ingredients, supply chain and manufacture for environmental, social and Buildin Code compliance. GreenRate Level A is a recognized initiative for Green Star Responsible Products credits.



A certification tool recognising full ingredient transparency, compliant with core WELL Features and LEED Product Disclosure credits, that proves products are safe for human health.

Acoustic Testing Data

High-Performance Absorption

Drift's layered configuration and PET density are engineered to reduce echo and improve speech intelligibility in open spaces.

- NRC values up to 1.00
- Tested per ASTM C423
- Detailed acoustic performance reports available upon request



info@onnitsystems.com

(801) 619-7044



*Visit our online form and
configuration system*