



Wood Wall Panel Series

*Natural Warmth. Acoustic Performance.
Architectural Texture.*



ONNiT Wood Wall Panel Series

Natural Warmth. Acoustic Performance. Architectural Texture.

Bring the warmth and character of wood into your space with the ONNiT Wood Wall Panel Series. Designed for acoustic comfort and timeless design, each panel blends tactile materiality with sound absorption. Whether it's the bold dimensionality of Lingo or the clean-lined refinement of Slat, this series transforms blank walls into stunning backdrops of natural texture.



Key Features

- Premium acoustic PET felt construction
- Realistic woodgrain texture in warm, modern tones
- Designed for sound absorption and visual sophistication
- Quick and versatile install using adhesive or mechanical mounting
- Durable, low-maintenance surface
- Available in multiple wood finishes
- Seamless edge-matching for continuous panel runs
- Custom sizes available




Design Your Space

Customize to Fit. Build with Intention.


We offer layout planning to ensure your wood panel installation aligns with your space's architecture and acoustic needs.

1 Installation layout and quantity

1.



2.




2 Spacing and orientation

3 Installation and mounting preferences

4 Color selection and finish direction

3.




4.



Standard available designs:

Lingo - Dimensional slats with uniform depth and shadow play



Slat - Clean, uniform spacing with linear rhythm



*Installation Layout & Quantity
Streamlined Planning. Scalable Installation.*

Step 1: Define Your Installation Area

- Wall dimensions (Height × Width)
- Full-wall coverage or partial feature?
- Horizontal or vertical orientation?

Step 2: Select Panel Design(s)

- Choose from: Lingo or Slat
- Mix and match styles across walls or rooms

Step 3: Determine Quantity

- Standard panel size: 48" × 96"
- Our team is available to assist in estimating coverage and layout

Optional Tip: Send us your wall dimensions or architectural drawings and we'll help provide a full layout plan with material takeoff.



Spacing & Orientation - Visual Alignment Meets Acoustic Flow

Orientation Options:

- **Vertical (standard):** Elongates space, pairs well with high ceilings
- **Horizontal:** Grounds the space and enhances visual width
- **Mixed Orientation:** Great for accent areas or room divisions

Spacing Options:

- **Butt Joint:** Seamless connection
- **1/4" or 1/2" Reveal:** 1/4" to 1/2" gap for shadow lines
- **Segmented Grid Fields:** Highlight different zones within the same space

Finish Options – Bring Wood to Life.

Choose from a curated collection of warm, neutral, or dark woodgrains.



Whitewashed Maple



Urban Ash




Brown Walnut



Natural Oak



Driftwood



Blonde Birch



Deep Walnut



Classic Walnut

Design Profiles



Lingo



Slat

Use Cases



Sustainability + Compliance

- PET core made from 75% recycled content
- Formaldehyde-free and low VOC
- Moisture- and mildew-resistant
- Made with certified OEKO-TEX® and Global Recycled Standard GRS Materials
- Contributes to LEED MR and EQ credits





Acoustic Performance

- **NRC Rating:** 0.65-1.00 depending on install and style
- Independent testing (Intertek)
- Based on full-module and multi module installations



Ordering & Customization

- Project-specific design layout support available
- Custom sizing, patterns, and colors available
- Quick ship available for select styles and colors
- Contact ONNiT Sales for a quote or sample pack



info@onnitsystems.com

(801) 619-7044



*Visit our online form and
configuration system*